Rapid Mixer Granulator (RMG): A Deep Dive into Technology, Industry Role, and Fabon Pharmatech's Contribution

1. Introduction to Granulation in Pharmaceutical Manufacturing

Granulation is a **critical process step** in pharmaceutical production. It refers to the agglomeration of fine powder particles into larger, multi-particle entities called **granules**, which are better suited for **tablet compression and capsule filling** due to improvements in flowability, density, and content uniformity. Granulation is commonly classified as **wet granulation** and **dry granulation**; in this article, we primarily focus on **wet granulation** using **Rapid Mixer Granulators (RMGs)**.

Wet granulation involves mixing powdered solids with a **binder solution** to form a moist mass that can be converted into granules. This process enhances the physical properties of the powders and prepares them for downstream operations such as drying, milling, and compression. Rapid Mixer Granulators are widely used for this purpose in the pharmaceutical industry and beyond. (Sgpharmatec)

2. What Is a Rapid Mixer Granulator (RMG)?

A **Rapid Mixer Granulator (RMG)** is an industrial machine designed to perform **dry mixing and wet granulation** in a single vessel. Its primary purpose is to blend pharmaceutical powders uniformly and produce granules of consistent quality in a controlled process environment. It is often also referred to as a **high-shear granulator** due to the shear forces generated by its internal components. (Sgpharmatec)

An RMG typically consists of a **mixing bowl**, **impeller blades**, **chopper blades**, a **discharge system**, and an **optional control system**. Through coordinated motion between the impeller and chopper, the RMG achieves intense mixing and granulation within a matter of minutes, transforming a blend of APIs (Active Pharmaceutical Ingredients) and excipients into a homogenous, wet mass ready for further processing. (SlideServe)

3. Overview of Fabon Pharmatech Pvt. Ltd., Nashik

Fabon Pharmatech Pvt. Ltd. is a Mumbai-based manufacturer (with headquarters and manufacturing facilities in **Nashik, Maharashtra, India**) specializing in pharmaceutical processing equipment, including the Rapid Mixer Granulator. Established in the late 1990s, Fabon has been providing customized solutions that meet strict **GMP (Good Manufacturing Practices)** standards and cater to the pharmaceutical, chemical, and food industries. (SlideServe)

Their RMG units are designed for **hygienic use, durability, and ease of cleaning**, often customized to client specifications. The Nashik location allows for local support and after-sales services for industries in Maharashtra and across India's broader manufacturing landscape. (SlideServe)

4. Core Components of an RMG

Understanding the key components of an RMG helps explain its performance and efficiency:

4.1 Mixing Bowl

The mixing bowl is typically circular with a flat base and a conical top portion. This shape assists cohesive powders in achieving uniform mixing. Contact parts are commonly constructed from **SS316L** for corrosion resistance and hygiene compliance. (BoostKit)

4.2 Impeller Blades

The impeller is the main mixing tool, often with full and half blades configured to lift and tumble the powdered material. It rotates at relatively lower speeds (e.g., ~50–300 RPM) to distribute the powders and wetting agents evenly. (TradeWheel)

4.3 Chopper Blades

The chopper moves at higher speeds (e.g., ~1000–3000 RPM) relative to the impeller. Its role is to break down lumps in the wet mass and produce granules of the desired size. (TradeWheel)

4.4 Drive and Seal Mechanisms

The shaft where the chopper and impeller enter is equipped with **air-purged or mechanical seals** to prevent contamination and ensure hygienic operation. Motors are often shrouded to adhere to cGMP norms and ease cleaning. (BoostKit)

4.5 Discharge System

RMGs typically incorporate a **pneumatic or gravity-assisted discharge valve** that enables controlled release of the wet granules. This design often includes safety limit switches to prevent operation during maintenance. (BoostKit)

4.6 Optional Control Systems

Modern RMGs can include **PLC-based operating panels**, **load cells**, **temperature/humidity sensors**, and automation features to ensure consistent granulation and process control. (TradeWheel)

5. Operating Principle of an RMG

The operation of an RMG can be broken down into several stages:

5.1 Dry Mixing

Initially, dry powders—APIs and excipients—are loaded into the mixing bowl. The impeller begins rotating, raising and tumbling the mixture to ensure uniform distribution. (Sgpharmatec)

5.2 Binder Addition

A binder solution is added—either manually or via automated spray systems. During this stage, impeller speed may be adjusted to promote even wetting of particles. (Sgpharmatec)

5.3 Wet Granulation

Once the binder is added, the chopper joins the action, breaking up damp lumps and generating granules with consistent size distribution. Combined motion from the impeller and chopper produces the desired granules rapidly. (Sgpharmatec)

5.4 Discharge

After granulation is complete, the wet mass is discharged through the bottom or side outlet using a pneumatic or gravity-assisted discharge system. The impeller may still rotate to facilitate smooth flow. (BoostKit)

6. Technical Specifications & Customization

Fabon's RMG units typically range in capacities from **~25 to 1500 liters**, though customized volumes can be accommodated according to client needs. The design allows **useful working capacity up to 80% of bowl volume**, ensuring optimal material handling. (BoostKit)

6.1 Materials & Finishes

- **SS316L** for contact surfaces (mirror or matte finish).
- **SS304** for non-contact structures.
- Optional **jacketed models** for temperature-controlled granulation. (SlideServe)

6.2 Speeds

- **Impeller speeds** ~50–300 RPM (VFD controlled).
- **Chopper speeds** ~1000–3000 RPM. (TradeWheel)

6.3 Control & Safety

- **PLC interfaces** with touchscreen HMI (optional).
- Load cells and environmental sensors for real-time process feedback.
- Safety interlocks to prevent operation during maintenance. (TradeWheel)

6.4 Advanced Options

- **CIP/WIP systems** for automated cleaning.
- **Vacuum charging** to minimize dust exposure.
- **Binder spraying systems** for precision dosing. (BoostKit)

7. Salient Features of Fabon's RMG

Fabon's Rapid Mixer Granulator offers several features that make it suitable for modern pharmaceutical operations:

7.1 Uniform Ingredient Distribution

The impeller and chopper combination ensures thorough blending of all ingredients, which directly affects the granule quality and the final tablet performance. (BoostKit)

7.2 Reduced Processing Time

Rapid mixing and granulation reduce cycle times significantly compared to traditional batch granulation processes. (BoostKit)

7.3 Hygienic Construction & Cleaning

Engineered to meet **cGMP standards**, with a bowl design that minimizes dead zones and simplifies cleaning. (BoostKit)

7.4 Flexibility & Scale-up Capability

RMGs can be scaled from small R&D volumes to full production sizes, with easy scale-up and scale-down between machine sizes. (BoostKit)

7.5 Safety Features

Pneumatic discharge systems, safety interlocks, and sealed motor enclosures enhance operator safety and reduce contamination risk. (BoostKit)

8. Applications of RMG

While RMGs are most prominently used in pharmaceutical manufacturing, their versatility extends to multiple industries:

8.1 Pharmaceutical Industry

- **Tablet and capsule production** through wet granulation of APIs and excipients.
- Improved **content uniformity and flowability**, leading to better tablet quality and reduced rejections during compression. (TradeWheel)

8.2 Food & Nutraceuticals

- Granulating **instant drink mixes**, flavor blends, and protein powders for consistent texture and dissolution.
- Ensures even distribution of additives like vitamins, sweeteners, and colorants. (TradeWheel)

8.3 Chemical & Material Processing

- Creation of uniform granules from powders used in specialty chemical formulations, catalysts, ceramics, or catalysts for consistent performance. (Fengyihang Equipments)

9. Advantages of Using RMG Technology

9.1 Efficiency

Rapid and uniform granulation boosts throughput and reduces processing times. (Sgpharmatec)

9.2 Product Quality

Improved binder distribution results in consistent granule size and enhanced downstream performance (e.g., tablet compression). (Sgpharmatec)

9.3 Reduced Labor and Material Loss

Automated discharge systems and sealed environments reduce manual handling and minimize material waste. (TradeWheel)

9.4 Compliance

Designed for regulatory compliance (cGMP) with cleanability and documentation support. (BoostKit)

10. Economic & Operational Impact

The adoption of RMG systems, such as those by Fabon Pharmatech, translates to:

- **Increased production capacity** due to faster batch cycles.
- **Lower operational costs** from reduced wastage and improved resource utilization.
- **Scalable solutions** that support growth from pilot to commercial manufacturing.
- **Enhanced competitiveness** through consistently high product quality.

Home
About Us
Products
Blogs
Contact Us
Refund
Check out
Shop

Sr No 153, Ambad Gavalana Road, Behind D Mart, Pathardi, Nashik – 422010, Maharashtra, India
Phone :+919324924350
Mr. Bhupesh Sankhe (Proprietor)
Mobile :+919324924350